

Diabetes

Life Lines



August-September, 2011

- **Diabetes - the Medical Perspective**
- **Diabetes and Food**
- **Medication Update**
- **Recipes to Try**
- **Menu Suggestions**

Diabetes - the Medical Perspective

Sleep apnea is a condition where a sleeping person has several short periods of not breathing or very shallow breathing. These pauses in breathing can last several seconds or minutes. Breathing will then start again.

When breathing begins again, many people will wake up, at least slightly. They may also make noise. The pauses in breathing and the waking up can make the person feel very tired during the day.

The International Diabetes Institute has gathered enough research that they believe people with diabetes may be more prone to having sleep apnea. This may be explained, in part, by obesity. They also feel that health professionals and patients should be made aware of the links between these two conditions.

They feel all persons with type 2 diabetes should be assessed for symptoms of disordered sleeping. Those symptoms include snoring, observations by someone else of disordered breathing while asleep, and daytime sleepiness.

Weight reduction is usually helpful in overweight person who have disordered sleeping. Continuous positive airways pressure may (CPAP) also be helpful. With this therapy, a mask is worn at night and continuous positive pressure is applied to keep the airways open during sleep. Sometimes plastic mouthpieces can be fitted to increase the size of the airway. Surgery to remove enlarged tonsils and adenoids may also help.

Talk to your doctor if you have type 2 diabetes and any of the symptoms of sleep apnea. If you are overweight, try to lose at least a few pounds. Keep track of fitful sleeping, or if anyone has observed you during your sleep when you appeared to stop breathing.

Diabetes and Food

Are artificially sweetened soft drinks safe? All artificial sweeteners used in the United States undergo testing and review by the Food and Drug Administration (FDA). The FDA has guidelines about safe intake of diet sodas containing aspartame, acesulfame K, and sucralose. This level is called the Acceptable Daily Intake (ADI). The ADI for diet sodas (12-ounce cans or glasses) are as follows:

- 18-19 cans/day of diet sodas with aspartame
- 30-32 cans/day of diet lemon-lime sodas with acesulfame K
- 6 cans of diet colas containing sucralose

Finding out how much artificial sweetener is in other food you may eat is difficult. Those foods may include snacks, baked goods, desserts, and breakfast foods.

Research has continued looking at the safety of these sweeteners in terms of chronic conditions. These include type 2 diabetes risk, kidney disease, metabolic syndrome, and weight gain. Although the research is not conclusive, moderation in all foods, including those with artificial sweeteners, is often a

good idea. Remember that the American Diabetes Association does not restrict sugar intake for those with diabetes, as long as it is counted within the daily meal plan.

Medication Update

Insulin pens may be disposable or reusable. The three makers of insulin in the United States (Eli Lilly, Novo Nordisk, and Sanofi-Aventis) make pens specific for their own brand of insulin. Some insulin types are not available for pen use at all.

Some people use the insulin pens all the time, while other use them only when traveling, or when they will be out in public when their next dose is due. Insulin pens are usually more expensive than the bottles of insulin and separate syringes.

The pens have separate needles that are added before an injection and removed after an injection, unless the whole pen is disposed of after an injection. Insulins can not be mixed, so if you take two insulin types, two pens would need to be used.

If you think an insulin pen may be useful to you, talk to your doctor.

Recipes to Try

Broccoli and Clam Pasta

2 cans (6.5 ounces each) chopped clams
1 bottle (8 ounces) clam juice
2 cups water
1 tablespoon minced garlic

4 servings

4 cups broccoli flowerets
1.5 pounds angel hair pasta
4 tablespoon Parmesan cheese

1. Drain clams and add to bottled clam juice in a medium skillet. Add water and garlic. Bring to a boil.
2. Add broccoli. Reduce heat and simmer 3 to 5 minutes.
3. Add pasta. Cook 3 to 4 minutes more, stirring occasionally.
4. Add clams; cover and remove from heat. Let stand 5 minutes. Serve with 1 tablespoon Parmesan, each serving.

Nutrition facts per serving

Calories	290	Fat	1.8 grams
Protein	18 grams	Calories from fat	6%
Carbohydrate	47 grams	Cholesterol	20 mg
Fiber	5 grams	Sodium	840 mg

Preparation time 20 minutes

Banana Pineapple Pie

1.5 cups graham cracker crumbs
1/3 cup reduced fat margarine
2 bananas, sliced
1 package (8-ounce) fat-free cream cheese,
softened

16 servings

1½ cups skim milk
1 package (four-serving size)
sugar-free instant vanilla pudding
1 can (20-ounce) crushed pineapple, drained
4 ounces lite whipped topping

1. Mix graham cracker crumbs and reduced-fat margarine with fork or pastry cutter until margarine is cut into crumbs. Press mixture into bottom of baking dish.
2. Slice bananas and spread evenly over crumb mixture.
3. Beat softened cream cheese until very smooth and gradually add milk, beating until smooth. Add pudding mix and beat 1 minute or until mixture begins to thicken. Spoon evenly over bananas.
4. Spread drained crushed pineapple over the pudding layer. Spread whipped topping over pineapple layer, making sure to spread to edges of baking dish.
5. Refrigerate at least one hour, but refrigerating three or more hours is best. Cut into 16 slices and serve chilled.

Nutrition facts per serving

Calories	143	Fat	4 grams
Protein	4 grams	Calories from fat	25%
Carbohydrate	23 grams	Cholesterol	3 mg
Fiber	1 gram	Sodium	315 mg

Preparation & cooking and chilling time 3 hours 30 minutes.



Illinois Extension offers educational programs, assistance & materials to all without regard to race, color, national origin, age, sex, or disability.

BREAKFAST	Amount/Portion
1 cooked egg or egg substitute	1 egg
English muffin	1
Margarine, whipped	1 tablespoon
Apple juice	1 cup
Skim milk	8 ounces
469 Calories, 67 Carbohydrates, 4.5 Carbohydrate Choices	
SNACK	
Whole wheat low-fat crackers	5
Low-fat Monterey Jack cheese	1 ounce
Skim milk	8 ounces
224 Calories, 23 Carbohydrates, 1.5 Carbohydrate Choice	
LUNCH	
Lean ham sandwich on whole wheat bread with lettuce, tomato slice	1 sandwich, 2 ounces ham
Baked chips	15 chips
Carrot sticks	10 sticks
Skim milk	8 ounces
Applesauce, unsweetened	1 cup
550 Calories, 94 Carbohydrates, 6 Carbohydrate Choices	
DINNER	
Broccoli and Clam Pasta †	1 serving
Hard roll	1
Margarine, whipped	2 teaspoons
Garden salad	1 cup
Fat-free salad dressing	1 tablespoon
Banana Pineapple Pie†	1 serving
666 Calories, 105 Carbohydrates, 7 Carbohydrate Choices	
Total: 1909 Calories, 289 Carbohydrates, 19 Carbohydrate Choices	

† recipes from *Diabetes Lifelines* or *Recipes for Diabetes* at <http://urbanext.illinois.edu/diabetesrecipes/intro.cfm>